







BRACKETS FOR MOTOR SIDE

Ø40, Ø50, Ø60 AND DMI MOTORS







Ø40 MOTORS

INTERFACE SET	MAXI TORQUE	DESCRIPTION	REFERENCE
	13 Nm	Interface set for use with T3.5 motor with a T5 bracket with 2 Plastite screws 3.8x12	9016981


Ø40 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	WALL INTEGRATED SYSTEM	20 Nm	Joining with 10mm square with 2 plastite screws 3.8 x 12mm	9001527
	WALL INTEGRATED SYSTEM	25 Nm	Bracket with 10mm square 2 x Ø5mm holes 60 mm inter-axle	9510101
	WALL INTEGRATED SYSTEM	25 Nm	Bracket with 10mm square 2 x Ø5mm holes 48 mm inter-axle	9701240
	WALL INTEGRATED SYSTEM	25 Nm	Bracket with 10mm square 2 x Ø6mm oblongs from 48 to 60 mm inter-axle	9137029
	COMBINED WINDOW SHUTTER RENOVATION	35 Nm	Universal bracket: <i>Deceuninck Storbox, Alphacan Lucoroll, etc...</i>	9013761 (x1)
Packaged by 1				
	COMBINED WINDOW SHUTTER RENOVATION	35 Nm	Universal bracket <i>Deceuninck Storbox, Alphacan Lucoroll, etc...</i>	9012978 (x20)
Packaged by 20				









Ø40 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	COMBINED WINDOW SHUTTER	20 Nm	Thyssen bracket	2003200
	COMBINED WINDOW SHUTTER	20 Nm	S.K.S. bracket	2003206
 <i>Packaged by 1</i>	RENOVATION	20 Nm	Butterfly bracket, cuttable from 137 to 205mm (Gaviota Simbac Mini 45° side frame)	9001108 (x1)
 <i>Packaged by 100</i>	RENOVATION	20 Nm	Butterfly bracket, cuttable from 137 to 205mm (Gaviota Simbac Mini 45° side frame)	9015860 (x100)
	RENOVATION	13 Nm	Bracket for side frame with Ø 12 mm pivot with 2 plastite screws 3.8x12	9500815
	RENOVATION	20 Nm	Bracket for side frame ZF ALURENO (125/205)	2008418









Ø50 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	WALL INTEGRATED SYSTEM	20 Nm	Joining with 10mm square, with 2 plastite screws 5 x 12 for T5 and T5 DC	9013923









Ø50 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	WALL INTEGRATED SYSTEM	25 Nm	Joining with 10mm square with 2 plastite screws 5 x 16mm for T5 AUTO, AUTO short, AUTO short Hz, T5 E, E Hz, E Hz DC and T5 Hz.02	9910013
	WALL INTEGRATED SYSTEM	25 Nm	Joining with 10mm square with 2 plastite screws 5 x 16mm for T5 AUTO, AUTO short, AUTO short Hz, T5 E, E Hz, E Hz DC and T5 Hz.02	9910014
	WALL INTEGRATED SYSTEM	25 Nm	Bracket with 10mm square 2 x Ø5mm holes 60mm inter-axle	9510101
	WALL INTEGRATED SYSTEM	25 Nm	Bracket with 10mm square 2 x Ø5mm holes 48mm inter-axle	9701240
	WALL INTEGRATED SYSTEM	25 Nm	Bracket with 10mm square 2xØ6mm oblongs from 48 to 60mm inter-axle	9137029
	WALL INTEGRATED SYSTEM	50 Nm	Clamp with 10mm square with 16mm square	9016077
	WALL INTEGRATED SYSTEM	30 Nm	Bracket with 16mm square	9017188
	WALL INTEGRATED SYSTEM	30 Nm	T5 clamp Ø6.5 mm F 90° holes 30mm inter-axle	9520076








Ø50 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
 <p>2 x Ø 6,5 / F 90°</p> <p>35</p>	WALL INTEGRATED SYSTEM	30 Nm	T5 clamp Ø6,5mm F 90° holes 35mm inter-axle	9520054
 <p>2 x Ø 6,5 / F 90°</p> <p>40</p>	WALL INTEGRATED SYSTEM	40 Nm	T5 clamp Ø6,5mm F 90° holes 40mm inter-axle	9520048
 <p>2 x Ø 6,5 / F 90°</p> <p>44</p>	WALL INTEGRATED SYSTEM	40 Nm	T5 clamp Ø6,5mm F 90° holes 44mm inter-axle	9520064
 <p>2 x Ø 6,5 / F 90°</p> <p>46</p>	WALL INTEGRATED SYSTEM	40 Nm	T5 clamp Ø6,5mm F 90° holes 46mm inter-axle	9520062
 <p>2 x Ø 6,5 / F 90°</p> <p>48</p>	WALL INTEGRATED SYSTEM	50 Nm	T5 clamp Ø6,5mm F 90° holes 48mm inter-axle	9520104
 <p>2 x M6</p> <p>44</p>	WALL INTEGRATED SYSTEM	50 Nm	T5 clamp M6 holes 44mm inter-axle	9257403
 <p>2 x M6</p> <p>48</p>	WALL INTEGRATED SYSTEM	50 Nm	T5 clamp M6 holes 48mm inter-axle	9520040
 <p>2 x M4</p> <p>50</p>	WALL INTEGRATED SYSTEM	50 Nm	T5 clamp M4 holes 50mm inter-axle	9520038







Ø50 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	WALL INTEGRATED SYSTEM	50 Nm	T5 clamp M6 holes 60mm inter-axle	9520063
	WALL INTEGRATED SYSTEM	40 Nm	T5 clamp with oblongs Ø6,5mm F 90° holes 44mm inter-axle	9012467
	COMBINED WINDOW SHUTTER RENOVATION	35 Nm	Universal bracket: <i>Gaviota/Simbac, Deceuninck Storbox, Alphacan Lucoroll, etc...</i>	9013761 (x1)
	COMBINED WINDOW SHUTTER RENOVATION	35 Nm	Universal bracket <i>Gaviota/Simbac, Deceuninck Storbox, Alphacan Lucoroll, etc...</i>	9012978 (x20)
	COMBINED WINDOW SHUTTER	20 Nm	Plastic clamp for ZF bracket	9013073 (x200)
	COMBINED WINDOW SHUTTER	20 Nm	Fixing set for ZF bracket	9011860 (x200)
	COMBINED WINDOW SHUTTER	20 Nm	Thyssen bracket	2003200
	COMBINED WINDOW SHUTTER	20 Nm	S.K.S. bracket	2003206






Ø50 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	COMBINED WINDOW SHUTTER	50 Nm	VEKA bracket	9013217
 <i>Packaged by 1</i>	RENOVATION	20 Nm	Butterfly bracket, cuttable from 137 to 205mm (Gaviota Simbac Mini 45° side frame)	9001108 (x1)
 <i>Packaged by 100</i>	RENOVATION	20 Nm	Butterfly bracket, cuttable from 137 to 205mm (Gaviota Simbac Mini 45° side frame)	9015860 (x100)
	RENOVATION	50 Nm	Double clip clamp 80 x 80mm	9520049
	RENOVATION	30 Nm	Clamp bracket 80 x 80mm	9252525
	RENOVATION	30 Nm	Euroko bracket from Deprat	9520098
	RENOVATION	50 Nm	Imbac plate 100 x 100mm	9520187




Ø50 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	RENOVATION	20 Nm	ZF Alu Reno Bracket	9016065 (x1)
Packaged by 1				
	RENOVATION	20 Nm	ZF Alu Reno Bracket	9016067 (x10)
Packaged by 10				
	RENOVATION	30 Nm	Telescopic bracket 125 - 165mm end plate	9017536
	RENOVATION	30 Nm	Telescopic bracket 180 - 205mm end plate	9017537
	RENOVATION	20 Nm	Bracket for side frame ZF ALURENO (125/205)	2008418
	TUNNEL	Off-set bracket ZF 45mm	9001735	
		40 Nm	Use with clamp ref. 9520064	
		25 Nm	Use with joining ref. 9910013 with 10mm square	
		20 Nm	Use with joining ref. 9013923 with 10mm square	









Ø50 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	TUNNEL	30 Nm	Off-set bracket in U Use with clamp ref. 9520076 holes with 30mm inter-axle	9520202
	TUNNEL	30 Nm	Bracket for tunnel end plate Coffrelite ZF	9011606
	TUNNEL	30 Nm	Bracket for tunnel end plate Edilcass ZF	9017534
	COMBINED WINDOW SHUTTER	10 Nm	Bracket for coffre Eclipse	9018286
	All our brackets for Ø50 motors are supplied with the accessory bag (fixing clips, pin rings and M6 screws)			4005684






Ø60 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	WALL INTEGRATED SYSTEM	40 Nm - 30mm inter-axle 60 Nm - 56mm inter-axle	T6 clamp Ø6.5mm F 90° holes	9530051
	WALL INTEGRATED SYSTEM	45 Nm	T6 clamp Ø6.5mm F 90° holes 44mm inter-axle	9530043
	WALL INTEGRATED SYSTEM	45 Nm	T6 clamp Ø6.5mm F 90° holes 46mm inter-axle	9530017




Ø60 MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	WALL INTEGRATED SYSTEM	45 Nm	T6 clamp Ø6.5mm F 90° holes 48mm inter-axe	9530104
	WALL INTEGRATED SYSTEM	80 Nm	T6 clamp Ø6.5mm F 90° holes 65mm inter-axe	9530040
	WALL INTEGRATED SYSTEM	45 Nm	T6 clamp 2 X M6 holes 48mm inter-axe	9530042
	RENOVATION	120 Nm	Plate 100x100 - T6	9530018
	TUNNEL	40 Nm	Off-set bracket in U Use with clamp ref. 9530051 holes with 30mm inter-axe	9520202
	TUNNEL	60 Nm	Off-set bracket in U Use with clamp ref. 9530051 holes with 56mm inter-axe	9520202
	TUNNEL	45 Nm	Off-set bracket ZF 45mm Use with clamp ref. 9530043 holes with 44mm inter-axe	9001735
	All our brackets for Ø60 motors are supplied with the accessory bag (fixing clips, pin rings and M6 screws)			9856000



DMI MOTORS

BRACKET	APPLICATION	MAXI TORQUE	DESCRIPTION	REFERENCE
	WALL INTEGRATED SYSTEM TUNNEL	85 Nm	Orientable DMI bracket - 30° inter-axle holes: 40 and 48mm with 6mm screws	9420654
	COMBINED WINDOW SHUTTER	20 Nm	Expandable inserts with screws for <i>Modulo d'Imbac, Lucoroll</i> <i>Storbox - Deceuninck, SPPF, etc</i> Direct assembly on the draw	9410699
	RENOVATION	20 Nm	Expandable clowels with screws for Mini and Domino Imbac boxes Direct assembly on the plate of the side frame	9410790
	RENOVATION	120 Nm	Plate 100 x 100mm with 2 M6 x 25mm bolts	9706034
	RENOVATION	120 Nm	Quick bracket for DMI motor 4 positioning screws + 1 security screw	9017950

SCREWS FOR FIXING MOTOR HEADS

TYPE	FOR MOTORS	REFERENCE
 <p>PLASTITE SCREWS 2 holes Ø3.9mm</p>	<p>BAG OF 200 SCREWS T3.5 Hz.02 - T3.5 E Hz DC - T3.5 AUTO - T3.5 and T3.5 DC</p>	5005970
 <p>FZ M5 TAPTITE SCREWS 4 holes Ø4.5 x 12mm</p>	<p>BAG OF 200 SCREWS T5 and T5 DC</p>	855002
 <p>FZ5 PLASTITE SCREWS 2 holes (fixing limited to 35Nm)</p>	<p>BAG OF 200 SCREWS T5 Hz.02 - T5 E Hz - T5 AUTO SHORT Hz - T5 ESP Hz T5 AUTO - T5 AUTO SHORT - T5 E - T5 ESP</p>	5010255

SCREWS FOR FIXING ONTO CLAMP

ACCESSORIE	DESCRIPTION	REFERENCE x 200
	Pin ring for Ø50 motor (bag 200)	9850312
	Pin ring for Ø60 motor (bag 200)	9850313
	Fixing clip for Ø50 motor (bag 200)	850316
	Fixing clip for Ø60 motor (bag 200)	850317